

142

INDEX MAPS.

T.12N R.5W 2nd Mer.

	166	167	167	165-167	165-166	165-166						
169	6	192	5	187	4	183	3	178	2	173	1	164
	192	191		186		182		177		173		
169	7	191	8	186	9	182	10	177	11	172	12	164
	190	193		185		181		176		172		
168	18	190	17	185	16	181	15	176	14	172	13	164
	190	189		185		180		176		171		
168	19	189	20	184	21	180	22	175	23	171	24	163
	189	188		184		180		175		170		
168	30	188	29	184	28	179	27	175	26	170	25	163
	188	187		183		179		174		170		
167	31	187	32	183	33	179	34	174	35	169	36	163
	162	162		162		161		161		161		

T.13N R.5W 2nd Mer.

	200	200-201	200-201	200-201	199-201	199-202						
204	6	209	5	213	4	218	3	223	2	228	1	199
	208-209	213		218		222		228		231		
204	7	208	8	212	9	217	10	222	11	227	12	198
	207	212		217		221		227		230		
203	18	207	17	211	16	216	15	221	14	232	13	198
	207	211		216		221		226		232		
203	19	206	20	211	21	216	22	220	23	225	24	198
	206	210		215		220		225		229		
202	30	205	29	209	28	215	27	219	26	225	25	197
	205	205		214		219		224		224		
202	31	204	32	209	33	214	34	219	35	223	36	197
	196	196		197		195-395		195-		195-196		

The figures on the lines refer to the page.

Township No 13 North of Range No 5 West 2nd Mer. Indiana 195
Ch. 67

South Boundary

West Oak Run line On the South Boundary of sec. 36.
T. 13. N. R. 5 W.

25.00 Set a post 18 links min, Corner N.

40.00 Set a post 1/4 sec post

75.00 Set a post 150 links min, Corner S.

80.00 Set a post for the corner 35 & 36. (Imp. 1)
Land bottom; Healthy; good soil.

West Oak Run line On the South Boundary of sec. 35.
T. 13. N. R. 5 W.

35.00 To spring branch 3 links min, Corner S.

40.00 Set a post 1/4 sec post

80.00 Set " " post for the corner 34 & 35.

Land East 3/4 same. West 1/4 rich and good
for farming.

West Oak Run line On the South Boundary of sec. 34.
T. 13. N. R. 5 W.

40.00 Set a post 1/4 sec post.

71.26 Set a post on the N & S line 755 links North of Sec. Cor.
Land River bottom; part overflow

East Oak Run line On the South Boundary of sec. 34. T. 13. N. R. 5 W.

31.26 Set the post 1/4 sec post on the Oak Run line from which a
Beck. 30 in. dia. beam S 62 E. 9 links dist; 1 a
Co. 24 " " " N 56 W 34 " "

71.26 Set the post 1/4 sec post on the Oak Run line for corner 34 & 35
from which a Beck 9 in. dia. beam S 30 E. 11 links dist
under a Co. 9 " " " N 46 W 33 " "

East Oak Run line On the South Boundary of sec. 35.
T. 13. N. R. 5 W.

T^h N^o 13 N.R. N^o 5th 2nd Min Ind.

40.00	Set the tempo 17 1/4 support on the new line from which a Sugar 10 in. dia. beam. S 26 N. 15 links each; & a Buck 30, " " N 80 E 23, " "
80.00	Set the tempo 19 post on the new line for the cor of sec. 35 & 36 from which a Buck 9 in. dia. beam N 61 E 20 links each. and a No. 15, " " S 88 W 44, " "

East	On the new line On the South Boundary of sec. 36. T. 13 N. R. 5 W.
40.00	Make the 1/4 sec. cor. on a Buck 5 in. dia. from which a Buck 12 in. dia. beam N 57 E 24 links each;
80.00	Set a post, 300 links South of the tempo 19 post, for the cor of sec. 12 & 13. N. R. 5 W. from which a Buck 6 in. dia. beam N 38 E 37 links each; & a Sugar 10, " " N 45 W 35, " "

May 6. 1811.

East	On the new line On the South Boundary of sec. 31. T. 13 N. R. 5 W.
27.00	Set a post 8 links wide, corner S.
40.00	Set a 1/4 support from which a Buck 10 in. dia. beam N 65 E 16 links each; & a No. 4, " " S 21 W 6, " "
63.50	Set a post 10 links wide, corner S.
80.00	Set a post for the cor of sec. 31 & 32 from which a Buck 12 in. dia. beam N 86 E 29 links each; & a No. 14, " " S 59 W 35, " "
	Sand bar Timber Oak, 1 Buck & Sugar.

East	On the South Boundary of sec. 30. T. 13 N. R. 5 W.
2.50	Set a post 10 links wide, corner S.
40.00	Set a 1/4 support from which a Buck 4 in. dia. beam S 77 W 33 links each; & a No. 17, " " N 81 E 30, " "

T. No 13. N.R. No 577. Q. and Mrs. Ind.

46.50	Trat Brook 12 links mid Course N.
80.00	Set a post for the cor. of ew 32 & 33 from which w Sugar 5 in. dia: beam. N 64 W. 13 links arb; & a Yum. 24 " " " S 57 E. 26 " " Lands and timber same as last mile
East	On the South Boundary of sec. 33. T. 13. N.R. 577.
40.00	Set a 74 cu post from which w Sugar 6 in. dia: beam. S 76 W. 6 links arb; & a Do 14 " " " N 31 E. 14 " "
80.00	Set a post for the cor of ew. 33 & 34. from which w Maple 6 in. dia: beam. S 53 E. 10 links arb; & a Do 9 " " " S 80 W 30 " "
East	On the South Boundary of sec. 34. T. 13. N.R. 577.
4.50	To the River 200 links mid, Continues this line no. farther in consequence of the water being so high.
East Boundary	
North	On the East Boundary of sec. 36. T. 13. N.R. 577.
17.00	Trat Brook 8 links mid, Course S. E.
40.00	Set a 74 cu. post from which w Beck. 12 in. dia: beam S 52 W 7 links arb; & a Do 7 " " " N 63 E. 43 " "
80.00	Set a post for the cor of ew. 25 & 36. from which w Beck. 12 in. dia: beam. N 61 E. W 16 links arb; & a Oak 30 " " " S 49 E. 17 " " Lands with a Brook, and good for farming Timber Oak, 7 Beck, Sugar, Hickory & c
North	On the East Boundary of sec. 25. T. 13. N.R. 577.
15.00	Trat Brook 5 links mid, Course E.
40.00	Set a 74 cu post from which w

T. N. 13. N.R. No 57. 2nd Mer. Ind.

Bush 12. in. diam. bears S. 64. E. 30. links dist. van
 Ash 9. " " " N. 57. W. 18. " "
 8000 Set a post for the cor. of Sec. 24 & 25. from which
 a Bush 5. in. diam. bears S. 57. W. 14 links dist. van
 Lynn 18. " " " S. 78. E. 18. " "
 Land & Timber same as last mile

North On the East Boundary of Sec. 24. T. 13. N. R. 5. W.
 2.00 To a Bush 20. links wide Course W.
 4.00 " " Bush 100. " " " S. W.
 25.00 " " Bush 25. " " " S. W.
 4000 Set a post for the cor. of 14 Sec. from which a
 Bush 16. in. diam. bears N. 45. E. 25. links dist. van
 So 24. " " " S. 35. W. 12. " "
 8000 Set a post for the cor. of Sec. 13. & 24. from which a
 Bush 24 in. diam. bears S. 64. E. 8. links dist. van
 So. 18. " " " S. 33. W. 11. " "
 Land rolling. Timber same as last mile.
 Soil rich & good for farming. June 9th 1819

North On the East Boundary of Sec. 13. T. 13. N. R. 5. W.
 4000 Set a post for the cor. of 14 Sec. from which a
 Buckeye 9 in. diam. bears N. 37 E. 7 links dist. van
 Bush 18 " " " S. 57 W. 18 " "
 8000 Set a post for the cor. of Sec. 10 & 13 from which a
 W. Walnut 9 in. diam. bears S. 57 W. 34 links dist. van
 Buckeye 12. " " " N. 19 E. 27 " "
 Land similar; part rather broken.

North On the East Boundary of Sec. 10 T. 13. N. R. 5. W.
 9.00 To a Crab 40. links wide, Course S. W.
 30.00 " " Bush 5 links wide, Course S. E.
 40.00 Set a post for the cor. from which on

199

T. N. 13. N.R. N. 5 W. Q. 1st Mer. Ind. 1.

	<p>Ironwood 5 in. diam. trees. N 77 E. 7 links each; & 92</p> <p>Ironwood 5 " " " N 66 W 7 " "</p> <p>81.00 Set a post for the cor of sec. 1 & 12 from which</p> <p>Beet. 14 in. diam. trees. N 67 W. 5 links each; & 93</p> <p>No. 9 " " " N 67 W. 15 " "</p> <p>Go to same as last mile.</p>
North	On the East Boundary of sec. 1. T. 13. N.R. 5 W.
25.00	To a Brook 8 links min., Course W.
40.00	Set a 1/4 sec post from which in
	Elm. 9 in. diam. trees. N 65 W. 14 links each; & 94
	No. 8 " " " N 66 E. 13 " "
80.00	Set a post for the cor of sec. 13 & 14. N.R. 4 & 5 W.
	Land similar; good for farming; Timber same.
80.23	To Township Cor.
North Boundary	
West	On a Random line On the South Boundary of sec. 36.
	T. 14 N.R. 5 W.
40.00	Set a temp. 1 1/4 sec post.
73.00	To a Brook 5 links min., Course S.
80.00	Set a temp. 1/4 post for the cor of Sec. 35 & 36.
	Land broken; good grain
West	
West	On a Random line On the South Boundary of sec. 35.
	T. 14 N.R. 5 W.
37.00	To a Brook 5 links min.; Course S.
40.00	Set a temp. 1 1/4 sec post.
78.50	To El. Riv. 100 links south of Random line.
80.00	Set a temp. 1/4 post for the cor of to sec. 34 & 35.
	East 1/2 same. West 1/2 good farming land. Timber same as last mile.

T. N. 13. N.R. N. 5 W. 2nd Sec. 34.

West	Quadrant line Cut the South Boundary of Sec. 34 T. 14. N.R. 5 W.
30.00	Iron Brook 20 links mid., Corner S.
40.00	Set a temp. 1/4 sap post
62.00	Iron Brook 12 links mid., Corner N.E.
80.00	Set a temp. 1/4 post for the cor. of Sec. 33 & 34 Land part bottom and part hill; good soil and good for farming.
June 17. 1819.	
West	Quadrant line Cut the South Boundary of Sec. 33. T. 14. N.R. 5 W.
40.00	Set a temp. 1/4 sap post
80.00	Set a post (temp. 1/4) for the cor. of Sec. 32 & 33. Land broken; good soil
West	Quadrant line Cut the South Boundary of Sec. 32. T. 14. N.R. 5 W.
25.00	Iron Brook 10 links mid., Corner N.
40.00	Set a temp. 1/4 sap post
80.00	Set a temp. 1/4 post for the cor. of Sec. 31 & 32. Land same
West	Quadrant line Cut the South Boundary of Sec. 31. T. 14. N.R. 5 W.
40.00	Set a temp. 1/4 sap post
68.71	Enter cut the N.W. line 200 links North of Township cor. For Lines 13 & 14. N.R. 5 & 6 W. Land same as last mile.
East	Quadrant line Cut the South Boundary of Sec. 31. T. 14. N.R. 5 W.
28.71	Set 1/4 sap post on the line from which Link 19 is set. bears N 82 W. 4 links and 1/4

T. No 13 N.R. No 371. 2nd Mer Ind.

68.71	<p>At Oak. 18 in. diam: beam. N47.4 W. 4 miles north;</p> <p>Set the temp. 1/4 post on the true line for the cor. of sec. 31 & 32</p> <p>from which a Buck. 20 in. diam: beam. S80.7.4 W. 4 miles north</p> <p>made a 20. 24 " " S. 71 E. 4. 1 " "</p>
East	On a true line On the South Boundary of sec. 32.
	T. 14. N.R. 571.
4000	<p>Set the temp. 1/4 post on the true line from which a</p> <p>Sugar. 8 in. diam: beam. S. 44. W. 17 miles north; & a</p> <p>Walnut 9 " " " N. 54 E. 6 " "</p>
80.00	<p>Set a post on the true line for the cor. of sec. 32 & 33. from</p> <p>which a Sugar. 15 in. diam: beam. N43.7.21 W. 21 miles north;</p> <p>made a Walnut. 9 " " " N. 65 E. 4 " "</p>
East	On the true line On the South Boundary of sec. 33.
	T. 14. N.R. 571.
40.00	<p>Set the temp. 1/4 post on the true line from which a</p> <p>J. Oak 9 in. diam: beam. N16 E. 11 miles north; & a</p> <p>Walnut. 12 " " " N. 1 E. 21 " "</p>
80.00	<p>Set a temp. 1/4 post on the true line for the cor. of sec. 33 & 34</p> <p>from which a Walnut 18 in. diam: beam. S. 40 E. 11 miles north</p> <p>made a Buck. 20 " " " N. 9 W. 28 " "</p>
East	On a true line On the South Boundary of sec. 34.
	T. 14. N.R. 571.
4000	<p>Set the temp. 1/4 post on the true line from which a</p> <p>B. Gum. 12 in. diam: beam. N5 E. 10 miles north; & a</p> <p>Buck. 10 " " " S. 72 E. 19 " "</p>
80.00	<p>Set the temp. 1/4 post on the true line for the cor. of sec.</p> <p>34 & 35. from which a (post in Oak River.</p> <p>Sycamore 48 in. diam: beam. S60 W. 71 miles north</p>
East	On a true line On the South Boundary of sec. 35.

T. N. 13 N.R. N. 5 W. 2nd Mer. End?

T. 14 N.R. 5 W

40.00 Set the temp. 1/4 post on the true line from which a
Beck. 11 in. dia. beam. N 26 W. 26 miles north; 43
Ho. 18 " " " S 19 E. 18 " "

80.00 Set a the temp. 1/4 post on the true line for the cor. of sec. 35 & 36
from which a Beck. 18 in. dia. beam. N 15 E. 44 miles north
under a W. Beck. 18 " " " S 37 W. 24 " "

East On the true line On the South Boundary of sec. 36.

T. 14 N.R. 5 W

40.00 Set the temp. 1/4 post on the true line from which a
Shaking Asp. 4 in. dia. beam. S 73 W. 3 miles north; 43
Beck. 10 " " " N 34 W. 34 " "

80.00 Set a post for the cor. of sec. 16 31 & 36. T. 13 & 14 N.R.
4 & 5 W. from which

Beck. 24 in. dia. beam. N 49 W. 46 miles north; 43

Ho. 20 " " " S 81 E. 30 " "

This cor. is 23 miles north of the temp. 1/4 corner.

West Boundary.

North On the East Boundary of sec. 36. T. 13 N.R. 8 W.

35.50 Set Beck. 12 in. dia. beam, corner S. W.

40.00 Set a 1/4 post from which

W. Beck. 13 in. dia. beam. S 2 E. 26 miles north; 43

Ho. 30 " " " N 27 W. 31 " "

76.00 To a sugar 18 in. dia. in the line.

78.00 " " Beck. 10 in. dia. beam, corner S. W.

80.00 Set a post for the cor. of sec. 25 & 36 from which

Beck. 12 in. dia. beam. S 40 E. 9 miles north; 43

Beck. 14 " " " N 72 W. 25 " "

Set Beck. beam

North On the East Boundary of sec. 25. T. 13 N.R. 8 W.

T. N. 13. N. 14. N. 57. 2nd Mer. Sud.

40.00 Set a post for the cor. of 94 square which is
 Buck. 12 in. dia. beam. N 35 W. 14 links north; & g
 Sugar. 10 " " " S 30 W. 34 " "
 46.00 To a Brook. 8 in. dia. Stand in the line.
 80.00 Set a post for the cor. of sec. 24 & 25 from which is
 Buck. 9 in. dia. beam. N 47 W. 30 links north; & g
 Co. 10 " " " N 37 W. 26 " "
 Ridge land; yellow timber. Good Buck land.

North
 40.00 On the East Boundary of sec. 24, T. 13. N. 14. 6 W.
 Set a 74 cap post from which is
 Buck. 6 in. dia. beam. N 67 W. 29 links north; & g
 Co. 10 " " " North 17 " "
 57.15 Enter at the N. Boundary of Harrison's Purchase and
 set a post for the cor. of sec. 24, T. 13. N. 14. 6 W. from
 which is Buck. 9 in. dia. beam. S 6 E. 18 links north; & g
 Co. 8 " " " S 57 W. 23 " "
 Yellow Timber.

North
 29.85 Continued the line on the East Boundary of sec. 24.
 Set a post for the cor. of sec. 13 & 24 from which is
 Buck. 10 in. dia. beam. N 85 E. 6 links north; & g
 Co. 9 " " " S 9 E. 11 " "
 Land 2nd rate; and good for farming.
 Timber Buck. Oak, Sugar, & Hickory 1/2.

North
 32.00 On the East Boundary of sec. 13, T. 13. N. 14. 6 W.
 To a Brook. 10 links north, corner S. E.
 40.00 Set a 74 cap post from which is
 Wash. 5 in. dia. beam. S 30 E. 32 links north; & g
 Sugar. 9 " " " N 60 W. 12 " "
 60.00 To a Brook 15 links north, corner S. E.
 80.00 Set a post for the cor. of sec. 12 & 13 from which is
 Oak. 3 in. dia. beam. S 87 W. 3 links north; & g

I. No. 13. N.R. No. 577. 2nd Mm. Ind.

*Reck. 10 in. dia: beam South 18 links each;
Sundrolling and goods fee; madding for punning*

<i>North</i>	<i>Under East Round of No. 12. I 13. N.R. 677.</i>
<i>40.00</i>	<i>Set a 7/4 support from which</i>
	<i>Reck. 10 in. dia: beam N 70 E. 30 links each; 83</i>
	<i>Reck. 10 " " " S 81 W. 31 " "</i>
<i>80.00</i>	<i>Made the cor of No. 1870 and 77 Oak 36 in. dia: Sund some as last mile.</i>
<i>North</i>	<i>Under East Round of No. 1. I 13. N.R. 577.</i>
<i>35.00</i>	<i>To a Brown. 6 links mile, done 77.</i>
<i>40.00</i>	<i>Set a 7/4 support from which</i>
	<i>Reck. 9 in. dia: beam S 78 E. 9 links mile; 83</i>
	<i>No. 8 " " " S 67 W. 22 " "</i>
<i>80.00</i>	<i>Set a support for the cor of I. 13 & 14. N.R. 57677.</i>
<i>82.00</i>	<i>To Township Cor.</i>
	<i>The Iron lines in Harrison's Purchase</i>
	<i>Surveyed by</i>
	<i>Alexander Holmes D.S.</i>
	<i>Lines North of Harrison's Purchase Surveyed by</i>
	<i>William Harris. L.S.</i>

Subdivisions.

<i>North</i>	<i>Peterson L.S. 31 & 32 I 13. N.R. 577.</i>
<i>0.80</i>	<i>To a W. Oak - in dia: in the line.</i>
<i>25.00</i>	<i>To an Oak. 24 " " " "</i>
<i>40.00</i>	<i>Set a 7/4 support from which</i>
	<i>Reck. 18 in. dia: beam N 7 E. 23 links each; 83</i>
	<i>No. 15 " " " S 6 E. 31 " "</i>
<i>56.20</i>	<i>To a W. Oak 18 in. dia: in the line.</i>
<i>74.15</i>	<i>" an Oak 24 " " " "</i>
<i>80.00</i>	<i>Set a post for the cor of Lot. 29, 30, 31 & 32 from which</i>

Beck 14 in. diam. bears N 10 E. 10 links dist. & 3
Beck 10 " " " S 53 W. 22 " "
Sands broken; Soil good; Timber Buck, Sugar, & oak,
& Poplar; Undergrowth Spruce.

West Return Sud. 29 & 30. T. 13. N. R. 5. W.

4.15 To a Beck 20 in. diam. in the line.

4000 Set a 1/4 section from which

Beck 10 in. diam. bears N 50 E. 48 links dist. & 3
Hawthorn 6 " " " S 11 W. 71 " "

44.00 To a Branch 4 links in line, Corner S. E.

55.15 To a Branch 5 " " " S. E.

80.00 To the post cor of Sud. 29. 30. 31 & 32

Sands hard rich soil Timber Buck. Oak, Sugar, & 1/2
Undergrowth Spruce. April. 23. 1874.

West Return Sud. 30-31. T. 13. N. R. 5. W.

15.50 To a Beck 15 in. diam. in the line.

17.65 To a Poplar 24 " " " "

40.00 Set a 1/4 section from which

Beck 12 in. diam. bears N 38 E. 15 links dist. & 3
Do. 10 " " " S 33 W. 30 " "

80-13 Enter on the West Return at the cor of Sud. 25 & 26. T. 13. N. R. 6. W.

Sands hard good soil; Timber Buck, Sugar, & 1/2. 118 Spruce

North Between Sud. 29 & 30. T. 13. N. R. 5. W.

10-10 To a Poplar 20 in. diam. stands in the line.

4000 Set a post for the cor of 1/4 Sec. from which
a Beck 12 in. diam. bears S 58. W. 20 links dist. & 3
Do. 10 " " " S. 32 E. 14 " "

50 56 To a Beck 12 in. diam. stands in the line.

55.68 " " Sugar 18. " " " " " "

59.60 To a Birch 6. links wide; Course S.E.
 64.14 To a Hickory 22. in. diam. stands in the line
 70.55 Intersect the N. Boundary of Harris's Purchase & set
 a post for the cor. of Sec. 29 & 30 from which a
 Birch 24 in. diam. bears S. 67 N. 44 links dist. & a
 Hickory 12 " " S. 21 E. 34 " "
 Land level and soil good; Timber Birch, Sugar,
 Poplar & Sycamore.
 70.55 To the N. Boundary of Harris's Purchase
 9.45 Set a post for the cor. of Sec. 19, 20, 29 & 30 from which a
 Birch 10 in. diam. bears N. 30 N. 9 links dist. & a
 Oak 12 " " S. 25 E. 17 " "
 Land level and soil good; Timber Birch, Sugar & Sycamore.
 Undergrowth Spruce.

West
 11.08 On a true line between Sec. 19 & 30 T. 13. N. R. 5 N.
 Intersect the West Boundary of Harris's Purchase
 100. links N. of the post cor. of Sec. 21 & 25 T. 13. N. R. 6 N.
 Land level & rich; Timber. Birch. Sugar. Walnut
 Hackberry. W. Oak &c. Undergrowth: Spruce &c.

East
 11.08 On a true line between Sec. 19 & 30 T. 13. N. R. 5 N.
 To the Section Corner.
 68.75 Length of the old line to the Boundary.

North
 Between Sec. 19 & 20 T. 13. N. R. 5 N.
 10.50 To a Birch 10. links wide; Course S.E.
 16.50 To a Birch 24. in. diam. stands in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Birch 28. in diam. bears S. 49. N. 16. links dist. & a
 Poplar 6. " " S. 26. E. 13. " "
 47.94 To a Birch 12. in diam. stands in the line
 70.00 Enter & follow timber

207

T. N^o 13 MR. N^o 5 W. 5th Pm. Ind.

8000 Set a Post for the cor. of Secs. 17. 18. 19. & 20. Gum which an
Aspen 8. in diam. bears S. 20. E. 33. links dist. & a
Buck 6. " " " S. 36. W. 28. " "
Land on the 1st 1/2 rolling & 2nd rate. 2nd 1/2 same. Timber,
Buck, Sugar. W. Oak &c. W. g. Spice &c.

West On a Random line between Secs. 18. & 19. T. 13. S. R. 5. W.
14000 Set the temp^l Post for the cor. of 1/4 Sec.
5050 To a Buck 10. links wide; course S. W.
78. 70 Intersect the West Boundary 7. links S. of the Post cor. of
Secs. 13. & 24. T. N. 13. S. R. 5. W.
Land rolling & hilly. Part fallen timber; Timber W. Oak
Buck Sugar. &c. W. g. Spice & Briers. &c. &c.

East On the true line between Secs. 18. & 19. T. 13. S. R. 5. W.
39. 35 Set a Post at the aver. dist. on the true line for the cor. of
1/4 Sec. Gum which an Ashwood 6. in diam. bears North 14. links dist.
A Buck 6. " " " S. 15. E. 14. " "
78. 70 To the Post cor. of Secs. 17. 18. 19. & 20. Oct. 19. 1819.

North Between Secs. 17. & 18. T. 13. S. R. 5. W.
13. 61 To a Sugar 12. in diam. stands in the line.
1500 Left the fallen timber
4000 Set a Post for the cor. of 1/4 Sec. Gum which a
Hickory 12. in diam. bears S. 7. W. 7. links dist. & a
Buck 7. " " " S. 80. E. 17. " "
53. 50 To a Poplar 24. in diam. stands in the line
8000 Set a Post for the cor. of Secs. 7. 8. 17. & 18. Gum which a
Hickory 7. in diam. bears S. 19. E. 14. links dist. & a
Sassafras 6. " " " S. 24. E. 6. " "
Land rolling & 2nd rate; Timber W. Oak. Buck. Sugar &c. W. g. Spice

West On a Random line between Secs. 7. & 18. T. 13. S. R. 5. W.

T. No 13 N.R. No 3 W. 2nd W. Sud.

40.00	Set a trap 1/4 up post
52.00	Trap Brook 10 links mid, corner S.W.
80.63	Inter cut the West Boundary 100 links North of the post cor of lat. 12 & 13 T. 13. N.R. 6 W. Sande rolling; 2nd rate; Timber Brook, Sugar & Maple in among the Ironwoods & Spruce.
East	On the line between T. 7 & 18 T. 13. N.R. 5 W.
40.31	Set the trap 1/4 up post at cor. dike on the line from which Sugar 18 in. dia. beam S 54 E. 16 links club; vs Brook 7, " " N 67 W. 11 " "
80.63	To the post cor of lat. 7. 8. 17. & 18.
North	Between T. 7 & 8. T. 13. N.R. 5 W.
22.57	Trap Brook 10 in. dia. in the line.
40.00	Set a trap up post from which Sugar, 10 in. dia. beam N 83 E. 6 links club; vs Do. 10, " " S 88 W. 14 " "
62.25	To a Poplar 8 in. dia. in the line.
80.00	Set a post for the cor of lat. 5, 6, 7 & 8. From which cor Oak, 6 in. dia. beam S 87 W. 13 links club; vs Sugar, 12, " " N 13 E. 30 " " Sande rolling 2nd rate; Timber Brook, Sugar, Maple, vs. among the Ironwoods & Spruce.
West	Quadrangle line between T. 6 & 7. T. 13. N.R. 5 W.
22.00	Trap Brook 6 links mid, corner S.E.
39.00	" " Do. " " " " S.W.
40.00	Set a trap 1/4 up post
80.50	Inter cut the West Boundary 100 links North of the post cor of lat. 1 & 12 T. 13. N.R. 6 W. Sande rolling under 2nd rate; Timber Brook, Sugar, Maple & Spruce, & Ironwoods vs.

North	Return Sec 5 & 6. T. 13. N.R. 571.
32.00	To a Buck. 18 in. dia: stands in the line.
40.50	Set a 7/4 sap post from which Poplar 40 in. dia: bears S 80° W. 20 links each; 43 Sugar. 12 " " " N 86° E. 31 " "
75.00	To a Gum. 24 in. dia: in the line.
84.50	Intersect the N. R. from a. 7. 11. 41 links East of the of Post cor of sec 31. 32. T. 14. N.R. 571 and set a Post for the cor of sec 5 & 6. from which Buck. 10 in. dia: bears S 44° W. 6 links each; 43 Sugar. 12 " " " N 46° E. 14 " "
	Go to 10 1/2 mile rolling 2nd rate; Timber Buck, Sugar, W Oak; many the Spruce. Oct 20. 1819.
East	On the true line between Sec 6 & 7. T. 13. N.R. 571.
40.25	Set the tempo. 7/4 sap post at an. each on the true line from which Sugar. 12 in. dia: bears N 43° E. 11 links each; 43 Buck. 10 " " " N 59° W. 25 " "
84.50	To a Sec cor of 5. 6. 7. & 8.
North	Return Sec 30 & 31. T. 13. N.R. 571.
25.75	To an Ach. — in clear. stands in the line.
40.00	Set a 7/4 sap post from which W Oak 20 in. dia: bears S 18° W. 22 links each; 43 Heiky 15 " " " N 84° W. 19 " "
59.73	To a Buck. 13 in. dia: in the line.
80.00	Set a post for the cor. of sec 28. 29. 32 & 33 from which Heiky 25 in. dia: bears S 86° E. 47 links each; 43 Do. 18 " " " N 76° W. 22 " "
	Land broken; not level. Timber Oak, 7 Buck, Mahogany 43 many the Spruce & Brins.
North	Return Sec 28 & 29. T. 13. N.R. 571.

T. No 13 RR. No 5 N. 2nd Mer. Ind.

North 12.50	Return Jul 28 & 29. T. 13. N. R. 5 N. Entered the N. R. 5 N. of Harrison's Purchase under a post for the cor of Jul. 28 & 29. From which Hackberry 8 in. diam. bears S. 7 E. 25 links each; & 3 Walnut, 30, " " N. 69 W. 43, " Sandy, but rich soil Timber Buck, Sugar, Walnut. Undergrowth Spec.
North 12.50 38.50 40.00 65.00 80.00	Return Jul 28 & 29. Continued. To the line of Harrison's Purchase To Eel River 150 links mid, above S. E. Set a $\frac{3}{4}$ post in Eel River from which Maple 20 in. diam. bears N. 20 W. 201 links each; & 3 Oak, 18, " " N. 55 E. 152, " To a Buck 12 in. diam. stands in the line. Set apart for the cor of Jul. 20. 21. 28 & 29 from which Buck 15 in. diam. bears N. 38 W. 41 links each; & 3 Oak 12, " " " S. 10 E. 19, " Sandy $\frac{1}{2}$ mile but rich bottom; Timber N. R. 5 N. Walnut, Buck, Buckeye, Hackberry, & 3. $2\frac{1}{2}$ mile hilly; Timber Oak, Poplar, & W. of all descriptions
West 40.00 45.60 76.00 80.84	Quadrangle line between Jul 20 & 29. T. 13. N. R. 5 N. Set a trip $\frac{3}{4}$ post To Eel River 150 links mid, above S. To a Brook 25 links up, above S. Entered the N. R. 5 N. line 100 links South of the post Sandy hilly & broken; Timber Buck, Sugar, Oak, Wal- nut, & Buckeye.
East 40.40	On the true line between Jul. 20 & 29 T. 13. N. R. 5 N. Set the trip $\frac{3}{4}$ post at an arch on the true line from which N. Oak 10 in. diam. bears N. 65 W. 20 links each under Buckeye 10 " " " S. 25 E. 16, "

80.84	To the post cor of cas. 20. 21. 28 & 29.
North	Between Sep 20 & 21. T. 13. N. R. 5. W.
18.00	To a Sugar. 15 in. dia. in the line.
38.00	To a Sugar. 150 links out, Corner N.
40.00	Get a 1/4 raposh from which a
	Chm. 12 in. dia. beam S 31 N. 16 links out; & a
	Sugar 18 " " " S 79 E. 16 " "
51.61	To a Sugar. 15 in. dia. in the line.
80.00	To the post cor of cas. 17. 16. 20 & 21. from which a
	Buck. 24 in. dia. beam South 25 links out; & a
	No. 10 " " " N 88 E 10 " "
	Land actually made broken, 2nd. rate; Timber
	Buck. Oak, Poplar &c
North	On a random line between Sep 17 & 20 T. 13. N. R. 5. W.
35.00	To a Spring branch, Corner S. W.
40.00	Get a trap. 1/4 raposh
51.00	To a Spring corner S. W.
80.00	Enter at the N. W. line 130 links South of the post cor
	of cas. 17. 18. 19 & 20
	Land actually made 2nd. rate; Timber Buck, Sugar, & Maple
East	On the true line between Sep 17 & 20 T. 13. N. R. 5. W.
40.00	Get the trap. 1/4 raposh. post at an. dia. on the true line
	from which a Sugar 12 in. dia. beam N 3. E. 14 links out
	and a Buck. 12 " " " S 43 N. 18 " "
80.00	To the post cor of cas. 16. 17. 20 & 21.
North	Between Sep 16 & 17. T. 13. N. R. 5. W.
22.00	To a Sugar. 10 in. dia. in the line.
32.00	" fuller. Timber.
40.00	Get a 1/4 raposh. from which a

D. No 13 N.R. No 577 2nd Mo. Ind.

	Back 10 in. dist. beam 827 19 units each; 73
	Lo. 12 " " " 865 E. 17 " "
63.50	Left the father Timber.
63.61	To a Back 10 in. dist. in the line.
80.00	Set apart for the cor of post 8. 9. 16 177. from which
	Log on 12 in. dist. beam 865 11.8 units each; 73
	Back 12 " " " 870 E. 29 " "
	Scudder rolling made 2nd rate; Timber Back, Log on
	Oak, 73. Oct. 19 1819.
West	Chart Random line between Lat 8477. 713 N 577
40.00	Set a transp. 74 per foot
80.10	Take out the N 577 100 back South of the post on
	of post 7. 8. 17 718
	Land back made 2nd rate; Timber Back Oak &
	Log on. 73.
East	Chart Random line between Lat 8477. 713 N 577
40.55	Set the transp. 74 per foot at ar. dist. in the line
	from which on E. on 12 in. dist. beam 918 11.11 units each
	made a Log on 18 " " " 970 E. 18 " "
80.10	Set the cor of post 8. 9. 16 717.
North	Between Lat 849. 713. N.R. 577.
11.00	To a Back 10 units each, Log on E.
16.00	" " 10 " " " E.
17.00	To a Back 20 in. dist. in the line.
40.00	Set apart for the post from which
	Log on to 6 in. dist. beam 837 15 units each; 73
	Back 12 " " " 870 E. 30 " "
54.00	To a P. P. 40 in. dist. in the line.
80.00	Set apart for the cor of post 4. 5 8. 79 from which
	Back 15 in. dist. beam 876 16 units each; 73

T. N. 13 N. 5 W. 2nd Mer. Sec.

East On the true line between Sec. 28. & 33. T. 13. S. R. 5. W.
 38. 59 Set a post at the aver. dist. on the true line for the cor. of $\frac{1}{4}$ Sec.
 from which a Cottonwood 18. in diam. bears S. 23. W. 23. lks. dist.
 & a Maple 18. in diam. bears S. 87. E. 29. lks. dist.

North Between Sec. 27. & 28. T. 13. S. R. 5. W.
 7. 00 To a Spring Branch. Course W.
 14. 00 " " Do " " W.
 18. 00 " " Do " " W.
 24. 50 To a Sugar 10. in diam. bears in the line
 40 00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Birch 15. in diam. bears S. 10. E. 24. links dist. & a
 Do 18. " " " N. 42. E. 39. " "
 57. 00 To a Birch 24. in diam. stands in the line
 80 00 Set a post for the cor. of Sec. 21. 22 27. & 28. from which
 a Birch 24. in diam. bears S. 26. W. 3. links dist. & a
 Do 11. " " " S. 30. E. 28. " "
 Land hilly & broken, Timber. Birch. Oak. Sugar. &c.
 W. of every description

West On a Random line between Sec. 21. & 28. T. 13. S. R. 5. W.
 40 00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
 79. 71 Intersect the S. & E. line 180. links S. of the post cor. of
 Sec. 20. 21. 25. & 29. Land on this mile hilly &
 Broken. Timber Poplar, Birch, Oak &c. W. & fallen
 timber of every description.

East On the true line between Sec. 21. & 28. T. 13. S. R. 5. W.
 39. 85 Set a post at the aver. dist. on true line for the cor. of $\frac{1}{4}$
 Sec. from which a Birch 24. in diam. bears S. 3. E. 9. links dist.
 & a Do 10. " " " S. 54. E. 40. " "
 Land hilly & broken. 3^d rate Timber. Birch, Oak.
 Poplar &c.

T. No. 13. N.R. No. 5 W. 2nd Mer. Ind?

North Between Secs 21. & 22. T. 13. S. R. No. 5. W.
 18. 00 To a Beech 30. in diam. stands in the line.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar. 24 in diam. bears S. 31. E. 7 links dist. &c
 Beech 4. " " " N. 26. W. 6. " "
 57. 60 To a Poplar 4. in diam. stands in the line
 70. 20 To El River 150. links wide. Course S. W.
 80 00 Set a post for the cor. of Secs 15. 16. 21. & 22. from which
 a W. Elm 10. in diam. bears S. 11. W. 12 links dist. &c
 " No 10 " " " N. 17. E. 12. " "
 Land rolling & 2nd rate. Timber. Beech Oak. Poplar
 Sugar. Hickory. &c. N. g. Spruce. &c. Oct. 21st 1819.

West On a Random line between Secs 16. & 21. T. 13. S. R. No. 5. W.
 40 00 Set a comp. post for the cor. of 1/4 Sec.
 45. 00 To El river 150. links wide; Course S. E.
 64. 00 To do " 150. " " " N. W.
 79. 90 Intersect the N. & S. line 161. links N. of the post cor.
 of Secs 16. 17. 20. & 21. Land hilly & 2nd rate
 2nd 1/2 Rolling. & 2nd rate. Timber. Beech Oak. Poplar.
 N. g. of all description

East On the true line between Secs 16. & 21. T. 13. S. R. No. 5. W.
 38. 88 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the
 true line from which a Beech 20 in diam. bears N. 24. W. 13 lks
 dist. &c a Beech 24. in diam. bears S. 60. E. 47. lks. dist.
 79. 90 To the post cor. of Secs 15. 16. 21. & 22. Oct. 21st 1819.

North Between Secs 15. & 16. T. 13. S. R. No. 5. W.
 10 50 To a Beech 20. in diam. stands in the line
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Beech 10. in diam. bears S. 39. W. 16. links dist. &c
 do 4. " " " S. 54. E. 24. " "

217

T. N. 13. N.R. N. 5 West 2nd Mer. Ind.

54. 00 To a Beech 24. in diam stands in the line
 80 00 Set a post for the cor. of Sec. 9. 10. 15. & 16. from which a
 Beech 12 in diam. bears S. 79. W. 20. Link distance &c
 Sh 14. " " " S. 30. E. 13. " "
 Land Rolling & 3rd rate. Timber, Beech, Sugar, Oak
 Poplar. Hickory Gum &c. W. & Dogwood & Ironwood.

West On a Random line between Sec. 9. & 16. T. 13. N. 5. W.
 40 00 Set the temp. post for the cor. of 1/4 Sec.
 60. 00 Left the fallen timber
 63. 60 To a Birch 20. links wide. Course S. W.
 79. 81 Intersect the N. & S. line 158. links S. of the post cor. of
 sec. 8. 9. 16. & 17. Land Rolling & 3rd rate. Timber Beech
 Oak. Sugar. &c. Fallen timber of all description so that it
 was most impossible

East On the true line between Sec. 9. & 16. T. 13. N. 5. W.
 38. 95 Set a post at the aver. dist. on the true line for the cor. of 1/4 sec.
 from which a Beech 4. in diam. bears S. 19. E. 9. links. dist.
 & a Sugar 6. " " " S. 37. E. 18. " "
 79. 81 To the post for the cor. of Sec. 9. 10. 15. & 16.

North Between Sec. 9. & 10. T. N. 13. N. 5. W.
 1. 00 To Fallen timber
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Cherry 4. in diam. bears S. 64. W. 27. links dist. & c
 W. Oak 3. " " " S. 62. E. 13. " "
 60. 00 Left the fallen timber
 60 60 To a Beech 18. in diam. stands in the line.
 80 00 Set a post for the cor. of Sec. 3. 4. 9. & 10. from which a
 Beech 10. in diam. bears S. 59. E. 16. links dist. & c
 Sh 12. " " " S. 75. W. 14. " "
 Land rolling & 3rd rate. Timber Beech. Sugar. Oak &c.

T. N. 13. N.R. N. 5 W. 2nd Mer Ind.

Undergrowth of every description & very plenty
This line very difficult to survey.

West On a Wanders line between Sec. 4. & 9. T. 13. S. R. 5. W.
40.00 Set a temp^l post for the cor. of $\frac{1}{4}$ Sec.
79.19 Intersect the S. & E. line 178. links North of the post.
cor. of Sec. 4. 5. 8. & 9.

Land on the 1st $\frac{1}{2}$ mile level. 2nd $\frac{1}{2}$ Rolling & 3rd rate.
Timber Buck Oak, Poplar, Sugar, Gum &c.
Undergrowth Gallesopras & Logwood &c.

East On the same line between Sec. 4 & 9 T. 13. N.R. 5 W.
39.59 $\frac{1}{2}$ Set the temp^l $\frac{1}{4}$ post at an. dish on the same line
from which Buck 24 in. dia. brns. S 72 W 6 the dish
under W Oak. 6" " " N 12 E. 19" "
79.19 To the post cor. of Sec. 3. 4. 9 & 10

North Return Sec. 3 & 4. T. 13. N.R. 5 W.
16.00 To a Buck 12 in. dia. stands in the line.
40.00 Set a $\frac{1}{4}$ post from which
W Oak 40 in. dia. brns. N 32 E. 16 links dish; &c.
Sugarcane 2" " " South - " "
54.00 To a Buck 10 links wide, Corner N.E.
55.00 " W Oak 30 in. dia. in the line.
81.35 Intersect the N. Boundary 1052 links East of the
post cor. of sec. 33 & 34 T. 14. N.R. 5 W. and set a
post for " 3 & 4. from which
Poplar. 15 in. dia. brns. S 25 E. 8 links dish; &c.
Sugar. 24" " " West 26" "
Land 1st $\frac{1}{2}$ mile level; 2nd rate;
" 2nd " " " Rolling & 3rd
Timber as before Oct. 22^d. 1819.

219

T. N. 13. N.R. No 5 N. 2nd Mer. Ind.?

North Return Sec. 34 & 35. T. N. 13. N.R. 5 N.
 25.20 To an Elm 20 in. diam. stands in the line.
 40.00 Set a $\frac{1}{4}$ sec post from which a
 Buck 24 in. diam. bears S 20 W 29 links north; & 3
 No. 8 " " " N 28 E. 24 " "
 68.60 To a Poplar 30 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 a Buck. 12 in. diam. bears S 5 N. 20 links east; & 3
 No. 12 " " " N 5 E. 16 " "
 Land bet. p. with rolling; rich; 2 p. rolling &
 2nd rate; Timber Buck, Sugar, & Walnut, Pop-
 lar, Ash & Oak; M. dogth Spin & Pawpaw.

West On a random line between Sec. 27 & 34. T. 13. N.R. 5 N.
 10.00 To a spring branch corner S.E.
 40.00 Set a temp. $\frac{1}{4}$ sec post
 75.00 Intersub. the N & S line 50 links south of the cor. of
 Sec. 27, 28, 33 & 34
 Land very hilly and broken; Timber Buck, Sugar,
 Poplar, &c. M. dogth Spin & Pawpaw.

East On the true line between Sec. 27 & 34. T. 13. N.R. 5 N.
 37.50 Set the temp. $\frac{1}{4}$ post at the ar. with on the true line from
 which a W Oak. 18 in. diam. bears West 4 links north;
 and a Buck. 6 " " " S 8 E. 14 " "
 75.00 To the post cor. of sec. 26, 27, 33 & 34.

North Return Sec. 26 & 27. T. 13. N.R. 5 N.
 27.00 To an Oak 20 in. diam. in the line.
 40.00 Set a $\frac{1}{4}$ sec post from which a
 Buck. 16 in. diam. bears N 75 W 19 links north; & 3
 No. 20 " " " S 75 E 19 " "
 52.25 To a Sugar. 20 in. diam. stands in the line.

220

T. No 13. N.R. No 5 N. 2nd M. Sur?

80.00 Set a post for the cor of sec 22, 23, 26, & 27 from which
 Sugar. 18 in. diam. beams N 33 E. 38 links with, & a
 Log 10 " " " N 79 W 7 " "
 Cande R. 1/2 mile rolling; 2nd rate; 2nd 1/2
 mile same. Timber Beech, Sugar, & Poplar,
 Mahant, W Oak, & s. Undergrowth Spruce.

Web Quakaudum line between Sur. 22 & 27 T 13. N.R. 5 N.
 12.00 To Spring branch. Come N.W.
 40.00 Set a 1/4 post (tump.)
 67.00 To Spring branch. Come N.W.
 75.00 Put out the N & S line 10 links North of the cor. of
 Sec. 21, 22, 27 & 28.
 Cande rolling cude 2nd rate; Timber Beech, Sugar,
 W Oak, & Poplar; & s. Undergrowth Spruce & Pine.

Cash Quakaudum line between Sur. 22 & 27 T 13. N.R. 5 N.
 37.50 Set the tump. 1/4 post at av. with on the line from
 which Sugar. 18 in. diam. beams S 31 E. 30 links with
 & a Beech. 30 " " " N 12 E. 10 " "
 75.00 To the post cor of sec. 22, 23, 26, & 27.

North Ketigum Sur. 22 & 23 T 13. N.R. 5 N.
 23.80 To Beech 12 in. diam. stands in the line.
 40.00 Set a 1/4 post from which
 Beech. 20 in. diam. beams. S 80 W 35 links with, & a
 Hackberry 24 " " " N 23 E 45 " "
 60.00 To an Elm 30 in. diam. stands in the line.
 76.00 To Cel River 150 links with, Come S.W.
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which
 Cottonwood 10 in. diam. beams N 72 W 18 links with, & a
 Log 10 " " " S 49 E. 19 " "
 Cande R. 1/2 mile rolling 2nd rate; 2nd 1/2 mile same

221

T. N. 13. N.R. N. 5 N. 2nd Mer. Ind.

Timber Walnut, W Oak, Buck, Sugar & Undergrowth
 Pawpaw & Spice This corner stands on the N.
 Bank of Eel river running S.E. Oct. 22. 1819

West Quakrandum between Sec. 15 & 22 T. 13. N.R. 5 N.
 2.00 Left Eel River, corner S.E.
 40.00 Set a temp. 7/4 sap post
 74.73 Intersect the N & S line 50 links North of the post cor.
 of Sec. 15. 16. 21 & 22. Land very hilly, good rate.
 Timber Buck, W Oak, Sugar & Undergrowth Spine,

East Quakrandum line between Sec. 15 & 22. T. 13. N.R. 5 N.
 37.36 Set the temp. 7/4 sap post at ar. ditch on the true line
 from which a Buck 7 in. dia. bears S 2 E. 11 the ditch;
 corner No. 7 " " N 83 W 40 " "
 74.73 To Section cor. of Sec. 15. 14. 22 & 23.

North Between Sec. 14 & 15 T. 13. N.R. 5 N.
 26.50 To a Hackberry 24 in. dia. stands in the line.
 40.00 Set a 7/4 sap post from which
 W Walnut 7 in. dia. bears S 60 W 19 links ditch; & B
 Buckeye 7 " " " N 85 W. 18 a "
 65.56 To a Pin Oak 12 in. dia. in the line.
 69.00 To Eel River 150 links run, corner S. W.
 80.00 Set a post for the cor. of Sec. 10. 11. 14 & 15 from which a
 Buckeye 10 in. dia. bears South 16 links ditch; & B
 No. 9 " " " S 56 E 9 " "
 Land bottom R. rate. Timber Walnut, Sugar,
 Hackberry, Ash, & Undergrowth Buckeye & Pawpaw

West Quakrandum line between Sec. 10 & 15 T. 13. N.R. 5 N.
 40.00 Set a temp. 7/4 sap post
 74.75 Intersect the N & S line 115 links North of the post

T. No 13. N.R. No 571. 2nd M. Ind.

ca of 4th 9.10. 1576.

Land rolling under 2nd rate. Timber W Oak, Beech
Sugar, &c. Underneath Spring.

Cash Quaker ... line between 4th 10 & 15 T. 13. N.R. 571
37.27¹/₂ Set the trap 17¹/₄ sa post at ar. dist on the line
from which on 1st wood 6 in. deer beams 163 E. 14th W
dist; & a Sugar 8 " " " 124 E 6 "
74.75 To the post cor of 4th 10. 11. 14 & 15.

With Return 4th 10 & 11 T. 13. N.R. 571.
16.20 To an Elm 12 in deer beams in the line.
40.00 Set a 1/4 sa post from which
Buckeye 9 in. deer beams 114 W 9 links only & 9
Blackberry 24 " " " 163 W 18 " "
54.00 To a Elm Oak 20 in deer in the line.
57.00 " Oak 15 in links mid, Corner S.E.
80.00 Set a post for the cor of 4th 2, 3, 10 & 11 from which
Walnut 12 in. deer beams 145 W 16 links dist; & 3
Buckeye 10 " " " 152 E 19 " "
Land bottom 1st rate; Timber 13 & 11 Walnut
Timber Sugar, Oak, & 13 Oak, Underneath Spring &
Paw Paw.

With Quaker ... line between 4th 3 & 10 T. 13. N.R. 571
36.00 To a Brook corner S.E.
40.00 Set a trap 17¹/₄ sa post
74.50 Intersub the N & S line 133 links North of the
post cor of 4th 3, 4, 9 & 10
Land belly under rolling Timber 7 Oak, Sugar,
W Oak & 3. Underneath Spring.

Cash Quaker ... line between 4th 3 & 10 T. 13. N.R. 571,

- 37.25 Set a post for the cor. of 14 Sec. at the aver. dist. on the true line from which a Sugar 18 in diam. bears S. 85. E. 14. lks. dist. 1/2 e
 W. Walnut 20. " " " S. 85. W. 17. " "
 74.50 To the post cor. of sec. 2. 3. 10. & 11.

North Between Sec. 2. & 3. T. 13. N. R. 5. W.

12.50 To a Sycamore 36. in diam. stands in the line

40.00 Set a post for the cor. of 14 Sec. from which a
 Hackberry 12. in diam. bears N. 70. E. 29. links dist. 1/2 e
 No. 18. " " " S. 7. W. 23. " "

52.50 To a Sycamore 40. in diam. stands in the line

69.50 To Oak River 150 links wide, Corner W.

78.50 Intersect the N. Boundary 560 links Each of the posts
 cor. of sec. 34 & 35. T. 14. N. R. 5. W. and set a post for the
 cor. " " 2 & 3 from which Maple standing in the
 Banks bears S. 15 W. 175 links dist. ~~and then~~ having
 curving;

Go to 1st half mile bottom 1st rate; 2nd 1/2 mile
 Intersect B. Walnut, Box Oak, Hackberry, Ash, Cotton-
 wood & c. Under the Spruce Pawpaw. Buckeye.

Oct. 23. 1819.

North Between Sec. 35 & 36. T. 13. N. R. 5. W.

17.60 To a Sugar. 12 in diam. in the line.

40.00 Set a post for the cor. from which

Buck. 6 in. diam. bears N. 15 E. 12 links dist. 1/2 e
 No. 14. " " " S. 69 E. 24. " "

44.50 To a Stream 100 links wide, Corner S. & E.

50.00 " Stream 100 " " " S. W.

59.20 " Stream 100 " " " W. E.

69.00 To a Buck. 12 in. diam. in the line.

80.00 Set a post for the cor. of sec. 25 & 26, 35 & 36. from which
 Buck 12 in diam. bears S. 28 W. 19 links dist. 1/2 e

T. No 13 N.P. No 577 2nd Mer. Ind:

Elm 8 in. diam. beam. N38 W. 14 links each; 1/2
 Sunde broken 2nd rate; Juniper 1 Beam Sugar,
 W Oak 1/2. Undergth Spruce.

West On a random line between Sec. 26 & 35. T. 13. N.P. 577
 4.00 To a Brook 100 links wide, across it
 4000 Set a temporary 1/4 capost
 79.71 Enter cut the N & S line 120 links North of the post cor.
 of sec. 26, 27, 34 & 35.
 Sunde hilly and broken 2nd rate; Juniper 1 Beam,
 Sugar, W Oak 1/2. Undergth Spruce.

East On a true line between Sec. 26 & 35. T. 13. N.P. 577
 39.85 Set a 1/4 capost at cor. ditch on the true line from which
 a Hackberry 24 in. diam. beam. N63 W. 18 links each; 1/2
 W Walnut 6 " " " N70 E. 21 " "
 79.71 To the post cor. of sec. 25, 26 & 35 & 36.

East On a true line between Sec. 25 & 36. T. 13. N.P. 577
 15.00 To a Brook 10 in. diam. stands in the true.
 40.00 Set a 1/4 capost from which
 No 1 Beam 10 in. diam. beam. N76 W. 6 links each; 1/2
 Elm. 10 " " " N69 E. 18 " "
 58.10 To a Brook 12 in. diam. in the true.
 80.17 Enter cut the East Boundary 140 links North of the
 post cor. of sec. 25 & 36 of set a post for the cor. of sec.
 25 & 36 from which
 1 Beam 6 in. diam. beam. S52 E. 7 links each; 1/2
 10g. 18 " " " N27 W. 8 " "
 Sunde hilly, stony and Remarkably broken.
 Juniper 1 Beam, Oak, Poplar, Sugar, 1/2. Undergth
 Green birch 1/2.
 This last line was entered here by mistake

North Between Jul 25 & 26 T. 13. N.R. 5 N.
 5.00 To a Brook 20 links m. from S.W.
 14.00 " " " 10 m. dist. in the line.
 30.00 To a Brook 10 links m. from S.W.
 36.50 To a Spring branch from S.W.
 40.00 Set a $\frac{1}{4}$ suposh from which
 Wm. 36 m. dist. from N 39 W. 20 links m. & 6
 44.00 To a Spring branch from S.W.
 45.50 " " " " S.W.
 62.25 To a Sugar 24 m. dist. in the line.
 80.00 Set a post for the cr. off sec. 23, 24, 25 & 26 from which
 Brook 10 m. dist. from N 81 W. 18 links m. & 5
 Sugar 18 " " " 88 E. 18 " "
 Lands rolling rich; good 2nd rate; Timber Birch,
 Walnut, W. Oak, Sugar, Poplar, & Undergrowth Spruce.

West On a Run line between Jul 23 & 26 T. 13. N.R. 5 N.
 39.00 To a Stream 100 links m. from S.E.
 40.00 Set a temp. $\frac{1}{4}$ suposh
 79.96 Into set the N & S line 10 links North of the post cr. off
 sec. 22, 23, 26 & 27
 Lands rich and rolling; set $\frac{1}{2}$ mile from good
 Bottom, good 2nd rate; Timber Walnut, Oak, Poplar,
 W. Oak, Sugar, & Undergrowth Spruce.

East On the line between Jul 23 & 26 T. 13. N.R. 5 N.
 39.98 Set the temp. $\frac{1}{4}$ suposh at av. dist. in the line from
 which Brook 20 m. dist. from S 33 E. 16 links m. &
 Sugar 20 " " " N 53 E. 12 " "
 79.96 To the post cr. off sec. 23, 24, 25 & 26.

North Between Jul 23 & 24 T. 13. N.R. 5 N.

T. N^o 13. N.R. N^o 5 W, 2nd Mer. Ind?

- 19.00 To at Bur. Oak 36 in. diam. in the line.
 23.50 To at Brook 100 links mch, Corner S.W.
 40.00 Set a $\frac{1}{4}$ supost from which
 Box Elm. 8 in. diam. bent N 47 E. 18 links mch; 123
 Elm. 7 " " S 47 W. 15 " "
 62.50 To at Brook 20 links mch, Corner S.W.
 64.50 To at Cherry tree 18 in. diam. Wards in the line.
 80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from which
 Box 24 in. diam. bent N 25 W. 24 links mch; 123
 Yellow pines 7 " " S 5 W. 4 " "
 Land 1st $\frac{1}{2}$ mile past bottom, balance broken 2nd
 note; Timber W Oak, Walnut, Buck, Sugar, & White
 Spruce & Ironwood &c.

-
- Nest On a Random line between Sec. 14 & 23. T. 13. N.R. 5 W.
 40.00 Set a temp. $\frac{1}{4}$ supost
 79.66. Intersect the N 5 line at the post cor of sec 14, 15, 22 & 23
 Land 1st mile and leave bottom; Timber 1 Buck,
 Sugar & Walnut, W Oak &c. Under the Spruce.

-
- Cash On the new line between Sec 14 & 23. T. 13. N.R. 5 W.
 39.83. Set the temp. $\frac{1}{4}$ supost at a. which on the new line from which
 W Oak 30 in. diam. bent. S 60 E. 24 links mch; 123
 Sugar 8 " " N 25 W. 30 " "
 79.66. To the post cor of sec 13, 14, 23 & 24
 Oct. 29. 1819.

- Broth Return Sec. 13 & 14. T. 13. N.R. 5 W.
 21.00 To an Elm. 18 in. diam. in the line.
 40.00 Set a $\frac{1}{4}$ supost from which
 Gum 24 in. diam. bent N 7 W. 18 links mch; 123
 Elm 6 " " S 30 E. 8 " "
 61.50 To a Sugar. 20 in. diam. in the line.
 80.00 Set a post for the cor of sec 11, 12, 13 & 14 from which.

327

D. N. 13. N.R. N. 5. N. 2nd M. Sub.

Reck. 20 in. dia: beams 4277 links each; & 7
 Ho. 16 " " " N36 E. 36 " "
 Sunde 12 1/2 mile part broken; 2nd rate; 2nd for
 rolling goods second rate; Timber Reck, Sugar,
 Walnut, Mahant & Poplar. 1/2. Under growth species.

West Quaffman line between Dec 11. 1874 J 13. N.R. 571
 22.50 To Spring branch; Comes S.W.
 40.00 Set a temp. 1/4 sec. post
 65.00 To Oct River 150 links mid, Comes S.
 78.50 Into cut the N & S line 25 links North of the post cor.
 of post cor of Dec. 10. 11. 14 & 15.
 Sunde 12 1/2 mile rolling; 2nd for bottom; goods.
 2nd rate; Part overflows Timber Reck, Sugar,
 Walnut, Hackberry 1/2. Under growth Panpan species

East Cuthum line between Dec 11. 1874 J 13. N.R. 571.
 39.25 Set the temp. 1/4 sec post at av. dist on the line.
 From which a Reck 20 in. dia: beams 4698.25 links each
 under a Ho. 22 " " " West 19 " "
 78.50 To the post cor of Dec. 11. 12. 13 & 14.

North Between Dec 11. 1874 J 13. N.R. 571.
 17.50 To Spring branch. Comes S.W.
 23.06 To a Reck. 15 in dia: in the line.
 26.50 " " Reck 10 links mid, Comes S.W.
 40.00 Set a post from which a
 Reck. 14 in dia: beams 4077.23 links each; & 7
 Ho. 7 " " " 468 E. 25 " "
 68.00 To Sugar. 12 in. dia: in the line.
 80.00 Set a post for the cor of Dec. 1. 2, 11 & 12 from which an
 Ash. 24 in. dia: beams 47377 links each; & 7
 Cedar 20 " " " 474 E. 24 " "

T No 13 RR No 577 2nd M^{ile} Sud:

Land R^{pt} 1/2 mile rolling 2nd rate; 2nd half
same Timber Buck, Sugar, Poplar Oak,
W Oak & many other Spec.

West Chas R^{pt} 1/2 mile between Sud. 2 & 11 T 13 RR 577

12.50 To Brook 6 links wide, across R.

40.00 Set a trap 1/4 ea post

79.99 Enter out the N & S line 9 links North of the post cor.
of Sud. 2, 3, 10 & 11.

Land R^{pt} 1/2 rolling and 2nd 1/2 bottom; Timber
fallen in the bottom; Timber Buck, Sugar, W Oak
many other Spec.

East Chas R^{pt} 1/2 mile between Sud. 2 & 11 T 13 RR 577

39.99 Set the trap 1/4 ea post at av. east in the line
from which a W. Walnut 8 in. dia. bears S 58 E. 11 links
and a Hickory 12 " " " N 28 E. 40 " "

79.99 To the post cor. of Sud. 1, 2, 11 & 12.

North Between Sud. 1 & 2 T 13 RR 577

10.09 To a Buck. 10 in. dia. in the line.

39.50 To a Brook 10 links wide, across R.

40.00 Set a 1/4 ea post from which a

Buck 12 in. dia. bears S 80 E. 19 links east; & 13th

Elm. 6 " " " S 29 N 9 " "

65.00 To a Poplar. 6 in. dia. in the line.

77.50 Enter out the N & S line 468 links East of the post cor.
of Sud. 35 & 36 T 14 RR 577 can do set a post from the
cor. of Sud. 1 & 2 from which a

Buck 12 in. dia. bears S 43 N. 19 links east; & 13th

Ash 6 " " " N 39 N. 14 " "

Land rolling in R^{pt} 1/2 mile, 2nd rate; Timber Buck
Sugar Oak & 2nd 1/2 fallen Timber, many other

229

T. N. 13 N.W. N. 37. 2nd Mer. Ind.

all descriptions Oct. 25th 1819.5

East	Between Jul. 25 & 36. T. 13. N.W. 5 N.
15.00	To a Buck. 10 in. diam. in the line.
40.00	Set a $\frac{1}{4}$ cup post from which a Worn beam 10 in. diam. beam N 76 N. 6 links each; & a Elm. 10 " " " N 69 E. 18 " "
58.10	To a Buck. 12 in. diam. in the line.
81.57	Enter out the East Branch 143 links North of the Post cross of Jul. 25 & 36. Set a post for the cross of Jul. 25 & 36 from which a Buck 6 in. diam. beam S 52 E 7 links each; & a Ho. 18 " " " N 77 W 8 " " Land is hilly, stony, & remarkable at by broken. Timber Buck, Oak, Poplar & Sugar, & 118 Iron trees.
East	Between Jul. 24 & 25 T. 13. N.W. 5 N.
15.10	To a Sugar. 18 in. diam. in the line.
36.40	To a Spring branch corner N.W.
40.00	Set a $\frac{1}{4}$ cup post on the true line from which a Sugar, 4 in. diam. beam S 20 E. 2 links each; & a Buck. 4 " " " N 25 E. 20 " "
56.80	To a Sugar. 18 in. diam. in the line.
77.50	To a Spring Branch corner N.W.
79.78	Enter out the East Branch 208 links North of the post cross of Jul. cross of Jul. 24 & 25 and set a post for the cross of " 24 & 25 from which a Box Elm 4 in. diam. beam S 87 W 2 links each; & a Ho. 3 " " " N 31 W 14 " " Land is $\frac{1}{2}$ mile from bottom of post setting & Buck. " $\frac{1}{2}$ " " " " " " " " " " " " Timber Walnut, Sugar, Buck, Hickory, Lym. & 3 Mans of the Paw Paw & Spruce

T. N. 13 N.R. N. 5 W. 2nd Mer. Sud.

- 3.00 To Spring branch Corner G.E.
 5.00 To Brook 20 links midw, Corner G.W.
 10.44 To a Bush 24 in. diam. in the line.
 40.00 Set up a post from which
 W. Natumb. 10 in. diam. beam N10 W. 19 links each; 49
 Heiky 10 " " " N82 W. 18 " "
 60.00 To Sugar, 18 in. diam. in the line.
 79.08 Enter at the East Corner N. 240 links North of the post
 cor of lat. 13 & 24 and set apart for the cor of lat.
 13 & 24 from which
 Bush. 10 in. diam. beam. S10 E. 8 links each; 49
 Ho: 12 " " " N39 E. 21 " "
 Cude 1/2 mile rolling 2nd rate; 2nd of same.
 Timber N & B Natumb, Sugar, Bush, Heiky, Poplar,
 Oak & Undergrowth Spruce.

- East Station East 12 & 13. T13 N.R. 5 W.
 10.54 To Sugar, 18 in. diam. in the line.
 23.00 To Spring branch; Corner G.E.
 37.40 To Brook 20 links midw, Corner G.W.
 40.00 Set up a post from which
 Cornbeam 3 in. diam. beam. N15 W. 6 links each; 49
 Ho. 3 " " " S12 E. 6 " "
 54.00 To Oak 48 in. diam. in the line.
 77.34 Enter at the East Corner N. 350 links North of the
 post cor of lat. 12 & 13. and set apart for the cor of lat.
 12 & 13 from which
 Bush. 10 in. diam. beam S11 W. 21 links each; 49
 Ho. 30 " " " N42 W. 40 " "
 Cude 1/2 mile rolling 2nd rate;
 " 2nd " " " " "
 Timber Bush Oak, Poplar, &c. Undergrowth Log mounds
 & Spruce

T. N. 13 N. R. N. 5 W. 2nd Mer. Ind.

East Return Sec. 1 & 2 T. 13 N. R. 5 W.
 11.40 To a Poplar. 40 in. diam. stands in the line.
 40.00 Set a 74 copper from which on
 West. 10 in. diam. trees. S 52 W 24 links each; & 0
 Logwood 4 " " N 44 E. 31 " "
 52.10 To a Birch. 18 in. diam. in the line.
 75.49 Intersect the South line or East River at 397 links
 North of the post or of sec. 1 & 2 from which a
 Birch. 15 in. diam. trees. N 60 W. 37 links each; & 0
 Do. 10 " " " S 81 E. 28 " "
 Land rolling and 2nd rate; Timber Birch, Oak
 Poplar, Madroga & Spruce. Oct 25. 1819.
 The Subsurveys in Harrison's Purchase Surveyed
 by John W. Donald Esq.
 " " North of Harrison's Purchase Surveyed
 by John Collett Esq.

I certify that the foregoing Transcript of the field
 notes of Township N. 13. R. 5 W. 2nd
 Mer. in Indiana has been compared with the
 Original notes in this Office and found to be correct.
 Surveyor General's Office
 Vincennes May 18th 1841.

E. S. Haines
 Sur. Gen.

S 13 N. R 5 W. 2^d. Mer. Ind^a

North Between Sec. 13 & 14

21.00 an Elm 18 in. diam.

40.00 Set of Sec. post, from which
a Gum 24 in. diam. bears N 79 W 8 lks. dist. of
an Elm 6 " " " S 33 E 8 " "

61.50 a Sugar 20 " "

80.00 Set post cor. to Sec. 11, 12, 13 & 14, from which
a Beech 20 in. diam. bears S 42 W 7 lks. dist. of
a Do. 16 " " " N 36 E 36 " "
1st half Mile, part broken 2^d. rate - 2^d half
rolling good 2^d. rate, timber Beech, Sugar,
W. Oak, Walnut, Poplar &c. undg^d. Spice

East Between Sec. 13 & 14

3.00 a Spring branch S. E.

5.00 a Brook 20 lks. wide Course S. W.

10.44 a Beech 24 in. diam.

40.00 Set of Sec. post, from which
a W. Walnut 10 in. diam. bears N 10 W 19 lks. dist. of
a Hickory 10 " " " N 82 W 18 " "

60.00 a Sugar 18 " "

79.08 intersected the Range line 240 lks. N. of
post, set post corner to Sec. 13 & 14, from which
a Beech 10 in. diam. bears S 10 E 8 lks. dist. of
a Do 12 " " " N 39 E 21 " "
Land 1st 1/2 Mile rolling 2^d. rate - 2^d 1/2 Mile
same, timber W. W. Walnut, Sugar, Beech
Hickory, Poplar &c. undg^d. Spice.